

Publication List

- (1) Effects of Amino Group Substitution on the Photophysical Properties and Stability of Near-Infrared Fluorescent P-Rhodamines
M. Grzybowski, M. Taki,* K. Kajiwara, S. Yamaguchi*
Chem. Eur. J., **2020**, *in press*
- (2) A photostable fluorescent marker for the super-resolution live imaging of the dynamic structure of the mitochondrial cristae
C. Wang, M. Taki,* Y. Sato, Y. Tamura, H. Yaginuma, Y. Okada, S. Yamaguchi*
Proc. Natl. Acad. Sci. USA, **2019**, *116*, 15817–15822.
- (3) The Effect of Branching on the One - and Two - Photon Absorption, Cell Viability, and Localization of Cationic Triarylborane Chromophores with Dipolar versus Octupolar Charge Distributions for Cellular Imaging
S. Griesbeck, E. Michail, F. Rauch, H. Ogasawara, C. Wang, Y. Sato, R. M. Edkins, Z. Zhang, M. Taki, C. Lambert,* S. Yamaguchi,* T. B. Marder*
Chem. Eur. J., **2019**, *25*, 13164–13175.
- (4) Tuning the π -Bridge of Quadrupolar Triarylborane Chromophores for One- and Two-Photon Excited Fluorescence Imaging of Lysosomes in Live Cells
S. Griesbeck, M. Evripidis, C. Wang, H. Ogasawara, S. Lorenzen, L. Gerstner, T. Zang, J. Nitsch, Y. Sato, R. Bertermann, M. Taki, C. Lambert,* S. Yamaguchi,* T. B. Marder*
Chem. Sci., **2019**, *10*, 5405–5422.
- (5) Optimization of Aqueous Stability vs. π -Conjugation in Tetracationic Bis(triarylborane) Chromophores: Applications in Live-Cell Fluorescence Imaging
S. Griesbeck, M. Ferger, C. Czernetzki, C. Wang, R. Bertermann, A. Friedrich, M. Haehnel, D. Sieh, M. Taki, S. Yamaguchi,* T. B. Marder*
Chem. Eur. J., **2019**, *25*, 7679–7688.
- (6) A Highly Photostable Near-Infrared Labeling Agent Based on a Phospha-rhodamine for Long-Term and Deep Imaging
M. Grzybowski, M. Taki,* K. Senda, Y. Sato, T. Ariyoshi, Y. Okada, R. Kawakami, T. Imamura, S. Yamaguchi*
Angew. Chem. Int. Ed., **2018**, *57*, 10137–10141.
- (7) A far-red fluorescent probe based on a phospha-fluorescein scaffold for cytosolic calcium imaging
H. Ogasawara, M. Grzybowski, R. Hosokawa, Y. Sato, M. Taki,* S. Yamaguchi*
Chem. Commun., **2018**, *54*, 299–302.
- (8) Super-Photostable Phosphole-Based Dye for Multiple-Acquisition Stimulated Emission Depletion Imaging
C. Wang, M. Taki,* Y. Sato,* A. Fukazawa,* T. Higashiyama, S. Yamaguchi*
J. Am. Chem. Soc., **2017**, *139*, 10374–10381.
- (9) Color-tunable fluorescent nanoparticles encapsulating trialkylsilyl-substituted pyrene liquids
M. Taki,* S. Azeyanagi, K. Hayashi, S. Yamaguchi*
J. Mater. Chem. C, **2017**, *5*, 2142–2148.
- (10) Selective Conversion of P=O-Bridged Rhodamines into P=O-Rhodols: Solvatochromic Near-Infrared Fluorophores
M. Grzybowski, M. Taki,* S. Yamaguchi*
Chem. Eur. J., **2017**, *23*, 13028–13032.
- (11) Water-Soluble N-Heterocyclic Carbene-Protected Gold Nanoparticles: Size-Controlled Synthesis, Stability, and Optical Properties
K. Salorinne, R. W. Y. Man, C-H. Li, M. Taki, M. Nambo, C. M. Crudden*
Angew. Chem. Int. Ed., **2017**, *56*, 6198–6202.
- (12) A Macroyclic Fluorophore Dimer with Flexible Linkers: Bright Excimer Emission with Long Fluorescence Lifetime
H. Osaki, C-M. Chou, M. Taki,* K. Welke, D. Yokogawa, S. Irle,* Y. Sato, T. Higashiyama, S. Saito, A. Fukazawa, S. Yamaguchi*
Angew. Chem. Int. Ed., **2016**, *55*, 7131–7135.

- (13) Phospha-fluorescein: a red-emissive fluorescein analogue with high photobleaching resistance
A. Fukazawa,* S. Suda, M. Taki,* E. Yamaguchi, M. Grzybowski, Y. Sato, T. Higashiyama, S. Yamaguchi*
Chem. Commun., **2016**, *52*, 1120–1123.
- (14) A Phosphole Oxide Based Fluorescent Dye with Exceptional Resistance to Photobleaching: A Practical Tool for Continuous Imaging in STED Microscopy
C. Wang, A. Fukazawa,* M. Taki,* Y. Sato, T. Higashiyama,* S. Yamaguchi*
Angew. Chem. Int. Ed., **2015**, *54*, 15213–1521.
- (15) A Red-emitting Ratiometric Fluorescent Probe Based on a Benzophosphole P-Oxide Scaffold for the Detection of Intracellular Sodium Ions
M. Taki,* H. Ogasawara, H. Osaki, A. Fukazawa, Y. Sato, K. Ogasawara, T. Higashiyama, S. Yamaguchi*
Chem. Commun., **2015**, *51*, 11880–11883.
- (16) Environment-Sensitive Fluorescent Probe: A Benzophosphole Oxide with an Electron-Donating Substituent
E. Yamaguchi, C. Wang, A. Fukazawa,* M. Taki, Y. Sato, T. Sasaki, M. Ueda, N. Sasaki, T. Higashiyama, S. Yamaguchi*
Angew. Chem. Int. Ed., **2015**, *54*, 4539–4543.
- (17) A mitochondria-targeted turn-on fluorescent probe based on a rhodol platform for the detection of copper(I)
M. Taki,* K. Akaoka, K. Mitsui, Y. Yamamoto
Org. Biomol. Chem., **2014**, *12*, 4999–5005.
- (18) Asymmetrical Distribution of Choline Phospholipids Revealed by Click Chemistry and Freeze-Fracture Electron Microscopy
S. Iyoshi, J. L. Cheng, T. Tatematsu, S. Takatori, M. Taki, Y. Yamamoto, A. Salic, T. Fujimoto*
ACS Chem. Biol., **2014**, *9*, 2217–2222.
- (19) Rosamine-Based Fluorescent Sensor with Femtomolar Affinity for the Reversible Detection of a Mercury Ion
M. Taki,* K. Akaoka, S. Iyoshi, Y. Yamamoto
Inorg. Chem., **2012**, *51*, 13075–13077.
- (20) Development of a Dual Functional Luminescent Sensor for Zinc Ion Based on a Peptidic Architecture
T. Hirayama, M. Taki,* K. Akaoka, Y. Yamamoto
Bioorg. Med. Chem. Lett., **2012**, *22*, 7410–7413.
- (21) Structural Insights into the Substrate Specificity of Bacterial Copper Amine Oxidase Obtained by Using Irreversible Inhibitors
T. Murakawa, H. Hayashi, M. Taki, Y. Yamamoto, Y. Kawano, K. Tanizawa, T. Okajima*
J. Biochem., **2012**, *151*, 167–178.
- (22) Development of a Cholesterol-Conjugated Fluorescent Sensor for Site-Specific Detection of Zinc Ion at the Plasma Membrane
S. Iyoshi, M. Taki,* Y. Yamamoto
Org. Lett., **2011**, *13*, 4558–4561.
- (23) Design and Synthesis of Fluorescent Probe for Polyhistidine Tag Using Macroyclic Nickel(II) Complex and Fluorescein Conjugate
M. Taki,* F. Asahi, T. Hirayama, Y. Yamamoto
Bull. Chem. Soc. Jpn., **2011**, *84*, 386–394.
- (24) Visualization of the Binding Site of Actin Binding Protein on the Actin Filament by Using a Gold Nanocluster and an Image Analysis
T. Ito, T. Hirayama, M. Taki, S. Iyoshi, S. H. Dai, S. Takeda, C. Kimura-Sakiyama, T. Oda, Y. Yamamoto, Y. Maeda,* A. Narita
J. Mol. Biol., **2011**, *408*, 26–39.
- (25) Human Spire Interacts with the Barbed End of the Actin Filament
T. Ito, A. Narita, T. Hirayama, M. Taki, S. Iyoshi, Y. Yamamoto, Y. Maeda,* T. Oda*
J. Mol. Biol., **2011**, *408*, 18–25.
- (26) Development of Highly Sensitive Fluorescent Probes for Detection of Intracellular Copper(I) in Living

- Systems.
M. Taki,* S. Iyoshi, A. Ojida, I. Hamachi, Y. Yamamoto
J. Am. Chem. Soc., **2010**, *132*, 5938–5939.
- (27) Selective Labeling of Tag-fused Protein by Tryptophan-sensitized Luminescence of a Terbium Complex
T. Hirayama, M. Taki,* A. Kodan, H. Kato, Y. Yamamoto
Chem. Commun., **2009**, 3196–3198.
- (28) Development of Ratiometric Fluorescent Probe for Zinc Ion Based on Indole Fluorophore
M. Taki,* Y. Watanabe, Y. Yamamoto
Tetrahedron Lett., **2009**, *50*, 1345–1347.
- (29) Fluorescence Imaging of Intracellular Cadmium Using a Dual-Excitation Ratiometric Chemosensor
M. Taki,* M. Desaki, A. Ojida, S. Iyoshi, T. Hirayama, I. Hamachi, Y. Yamamoto
J. Am. Chem. Soc., **2008**, *130*, 12564–12655.
- (30) Further Insight into the Mechanism of Stereoselective Proton Abstraction by Bacterial Copper Amine Oxidase
M. Taki, T. Murakawa, T. Nakamoto, M. Uchida, H. Hayashi, K. Tanizawa, Y. Yamamoto,* T. Okajima*
Biochemistry, **2008**, *47*, 7726–7733.
- (31) Colorimetric Response to Mercury-induced Abstraction of Triethylene Glycol Ligand from Gold Nanoparticle Surface
T. Hirayama, M. Taki,* Y. Kashiwagi, M. Nakamoto, A. Kunishita, S. Itoh, Y. Yamamoto
Dalton Trans., **2008**, 4705–4707.
- (32) Effects on Heteroatom Substitution on the Structures, Physicochemical Properties, and Redox Behavior of Nickel(II) Complexes with Pyridine-Containing Macroyclic Ligands
M. Taki,* Y. Kawashima, N. Sakai, T. Hirayama, Y. Yamamoto
Bull. Chem. Soc. Jpn., **2008**, *81*, 590–597.
- (33) A Rosamine-based Fluorescent Chemosensor for Selective Detection of Silver(I) in Aqueous Solution
S. Iyoshi, M. Taki,* Y. Yamamoto
Inorg. Chem., **2008**, *47*, 3946–3948.
- (34) Synthesis of a New Bifunctionalised Fluorescent Label and Physical Properties of the Bound Form on Model Peptide of Troponin C
T. Hirayama, S. Iyoshi, M. Taki, Y. Maeda, Y. Yamamoto*
Org. Biomol. Chem., **2007**, *5*, 2040–2045.
- (35) Synthesis of A New Water Soluble 2,2-Bifunctionalized Spin Label and Its Application to Troponin C
T. Hirayama, M. Taki, M. Nakamura, T. Arata, Y. Yamamoto*
Chem. Lett., **2006**, *35*, 834–835.
- (36) Kinetic and Structural Studies on the Catalytic Role of the Aspartic Acid Residue Converted in Copper Amine Oxidase
Y-C. Chiu, T. Okajima,* T. Murakawa, M. Uchida, M. Taki, S. Hirota, M. Kim, H. Yamaguchi, Y. Kawano, N. Kamiya, S. Kuroda, H. Hayashi, Y. Yamamoto, K. Tanizawa*
Biochemistry, **2006**, *45*, 4105–4120.
- (37) Quantum Mechanical Hydrogen Tunneling in Bacterial Copper Amine Oxidase Reaction
T. Murakawa, T. Okajima,* S. Kuroda, T. Nakamoto, M. Taki, Y. Yamamoto, H. Hayashi, K. Tanizawa*
Biochem. Biophys. Res. Comm., **2006**, *342*, 414–423.
- (38) Synthesis of *C*₂-chiral Bifunctionalised Spin Labels and their Application to Troponin C
S. Chatani, M. Nakamura, H. Akahane, N. Kohyama, M. Taki, T. Arata, Y. Yamamoto*
Chem. Commun., **2005**, 1880–1882.
- (39) Emission Ratiometric Imaging of Intracellular Zinc: Design of a Benzoxazole Fluorescent Sensor and its application in Two-Photon Microscopy
M. Taki, J. L. Wolford, T. V. O'Halloran*
J. Am. Chem. Soc., **2004**, *126*, 712–713.
- (40) Model Complexes of the Active Site of Galactose Oxidase. Effects of the Metal Ion Binding Sites
M. Taki, H. Hattori, T. Osako, S. Nagatomo, M. Shiro, T. Kitagawa, S. Itoh*

Inorg. Chim. Acta, **2004**, *357*, 3369–3381.

- (41) Oxidation Mechanism of Phenols by Dicopper-Dioxygen (Cu_2/O_2) Complexes
T. Osako, K. Ohkubo, M. Taki, Y. Tachi, S. Fukuzumi,* S. Itoh*
J. Am. Chem. Soc., **2003**, *125*, 11027–11033.
- (42) Fine Tuning of Copper(I)-Dioxygen Reactivity by 2-(2-Pyridyl)ethylamine Bidentate Ligands
M. Taki, S. Teramae, S. Nagatomo, Y. Tachi, T. Kitagawa, S. Itoh,* S. Fukuzumi*
J. Am. Chem. Soc., **2002**, *124*, 6367–6377.
- (43) Oxo-transfer Reaction from A Bis(μ -oxo)dicopper(III) Complex to Sulfides
M. Taki, S. Itoh,* S. Fukuzumi*
J. Am. Chem. Soc., **2002**, *124*, 998–1002.
- (44) Modulation of Coordination Chemistry in Copper(I) Complexes Supported by Bis[2-(2-pyridyl)ethyl]amine-Based Tridentate Ligands
T. Osako, Y. Tachi, M. Taki, S. Fukuzumi,* S. Itoh*
Inorg. Chem., **2001**, *40*, 6604–6609.
- (45) Oxygenation of Phenols to Catechols by a ($\mu\text{-}\eta^2\text{:}\eta^2$ -Peroxo)dicopper(II) Complex. Mechanistic Insight into the Phenolase Activity of Tyrosinase
S. Itoh,* H. Kumei, M. Taki, S. Nagatomo, T. Kitagawa, S. Fukuzumi*
J. Am. Chem. Soc., **2001**, *123*, 6708–6709.
- (46) C-H Bond Activation of External Substrates with a Bis(μ -oxo)dicopper(III) Complex
M. Taki, S. Itoh,* S. Fukuzumi*
J. Am. Chem. Soc., **2001**, *123*, 6203–6204.
- (47) Model Complexes of the Active Form of Galactose Oxidase. Physicochemical Properties and Reactivity of Cu(II)- and Zn(II)-Phenoxy Radical Complexes
S. Itoh,* M. Taki, H. Kumei, S. Takayama, S. Nagatomo, T. Kitagawa, N. Sakurada, R. Arakawa, S. Fukuzumi*
Inorg. Chem., **2000**, *39*, 3708–3711.
- (48) Resonance Raman Spectroscopy as a Probe of the Bis(μ -oxo)dicopper Core
P. L. Holland, C. J. Cramer,* E. C. Wilkinson, S. Mahapatra, K. R. Rodgers, S. Itoh, M. Taki, S. Fukuzumi, L. Que, Jr.,* W. B. Tolman*
J. Am. Chem. Soc., **2000**, *122*, 792–802.
- (49) Hydrogen Atom Abstraction by Cu(II)- and Zn(II)-Phenoxy Radical Complexes, Model Complexes of Active Form of Galactose Oxidase
M. Taki, H. Kumei, S. Itoh,* S. Fukuzumi*
J. Inorg. Biochem., **2000**, *78*, 1–5.
- (50) Aliphatic Hydroxylation by a Bis(μ -oxo)dicopper(III) Complex
S. Itoh, M. Taki, H. Nakao, P. L. Holland, W. B. Tolman, L. Que, S. Fukuzumi
Angew. Chem. Int. Ed., **2000**, *39*, 398–400.
- (51) Active Site Model for Galactose Oxidase Containing Two Different Phenol Groups
M. Taki, H. Kumei, S. Nagatomo, T. Kitagawa, S. Itoh,* S. Fukuzumi*
Inorg. Chim. Acta, **2000**, *300-302*, 622–632.
- (52) Oxidation of Benzyl Alcohol with Cu(II) and Zn(II) Complexes of Phenoxy Radical as a Model Reaction of Galactose Oxidase
S. Itoh,* M. Taki, S. Takayama, S. Nagatomo, T. Kitagawa, N. Sakurada, R. Arakawa, S. Fukuzumi*
Angew. Chem. Int. Ed., **1999**, *38*, 2774–2776.